

RTS Intercom Systems shows the SIP-ISDN telephone interface at IBC 2009

September 2009
ST/MKT-COM

Straubing – RTS is proud to show the SIP-ISDN at IBC 2009. The SIP-ISDN succeeds the ISDN-2005 telephone interface, and adds support for SIP (Session Initiation Protocol). The SIP-ISDN incorporates an ISDN basic rate interface (1x S0) and a LAN interface. Having both of these interfaces available enables greater flexibility when setting up an intercom system on an existing network. The SIP-ISDN uses G.711 and G.722 audio codecs for bidirectional communications. Separate transparent data channels with RS232 or RS485 interfaces are available for each 7 kHz G.722 audio codec. These data channels can be used for remote keypad control and for linking a matrix to a trunkmaster system.

Features of the SIP-ISDN include:

Operation

The SIP-ISDN can be configured via the front keypad as well as from PC software. Using the front keypad is similar to using a mobile phone. This enables greater ease of use by incorporating a familiar interface. Configuration via the intuitive PC software is a convenient option for network administrators. The system also incorporates a telephone directory system with various functionalities.

7 kHz encoding

In the 7 kHz encoding mode, a data signal can be transmitted in addition to audio. Both the RS232 and/or RS485 data interfaces are available to maximize compatibility with existing networks.

3.1 kHz encoding

In the 3.1 kHz encoding mode, the system detects the DTMF (Dual-Tone Multi-Frequency) tones received from a standard phone or an IP phone. The SIP-ISDN then converts the tones into the RTS protocol and enables the user to control keypanels on the intercom network.

ISDN network interface

In the ISDN operation mode, two audio and data signals can be transmitted over a single BRI (Basic Rate Interface) channel.

LAN network interface

In LAN operation mode, the SIP-ISDN works with the SIP protocol according to the EBU (European Broadcasting Union) standard. If an SIP server is available, the telephone number can be used for dial-up. If an SIP server is not available, the IP address can be used.

Operating modes

The following modes are available for remote control of RTS Intercom components:

- Remote keypanel control by telephone
- Remote matrix control by keypanel
- Matrix to matrix audio link
- Matrix to matrix audio link with trunkmaster control
- High quality mode with apt-X module (optional)

Press photo: PM_RTS_0909_SIP-ISDN.jpg



SIP-ISDN telephone interface

For more information, visit RTS Intercom Systems at IBC 2009 Stand #10.F38.

Contact persons for press inquiries:

Gunther Matejka
snapshot Redaktionsbüro
Herterichstrasse 89
81477 Munich, Germany
Tel.:+49 (0) 89/75 50 56 8-0
Fax:+49 (0) 89/75 50 58 8-29
presse@snapshot-redaktionsbuero.de

Helmut Seidl
Marketing Communications EMEA

Bosch Sicherheitssysteme GmbH
Robert-Koch-Strasse 100
85521 Ottobrunn

Contact & Visitor Address:
EVI Audio GmbH
Hirschberger Ring 45
94315 Straubing
Germany
www.rtsintercoms.com

Tel: +49 9421 706-447
PC-Fax: +49 89 629 028 5596
mailto: helmut.seidl@de.bosch.com

The Bosch Group is a leading global supplier of technology and services. In the areas of automotive and industrial technology, consumer goods, and building technology, some 280,000 associates generated sales of 45.1 billion euros in fiscal 2008. The Bosch Group comprises Robert Bosch GmbH and its more than 300 subsidiaries and regional companies in over 60 countries. If its sales and service partners are included, then Bosch is represented in roughly 150 countries. This worldwide development, manufacturing, and sales network is the foundation for further growth. Each year, Bosch spends more than 3.5 billion euros, or eight percent of its sales revenue, for research and development, and applies for over 3,000 patents worldwide. With all its products and services, Bosch enhances the quality of life by providing solutions which are both innovative and beneficial.

The company was set up in Stuttgart in 1886 by Robert Bosch (1861-1942) as "Workshop for Precision Mechanics and Electrical Engineering." The special ownership structure of Robert Bosch GmbH guarantees the entrepreneurial freedom of the Bosch Group, making it possible for the company to plan over the long term and to undertake significant up-front investments in the safeguarding of its future. Ninety-two percent of the share capital of Robert Bosch GmbH is held by Robert Bosch Stiftung GmbH, a charitable foundation. The majority of voting rights are held by Robert Bosch Industrietreuhand KG, an industrial trust. The entrepreneurial ownership functions are carried out by the trust. The remaining shares are held by the Bosch family and by Robert Bosch GmbH.

Additional information can be accessed at www.bosch.com.